

ASNR Journal Search

A selection of recent papers in the area of neurorehabilitation, not meant to be comprehensive, and not including the contents of *Neurorehabilitation and Neural Repair*. If you have suggestions for the next issue, please e-mail them to pnarayanan@som.umaryland.edu. Thanks!

October 16 – November 15, 2009

Journal of Rehabilitation Research and Development

- 1) Andric M, Small SL. (2009) Functional imaging of putative human mirror neuron systems in neurological disease. *Exp Neurol*. 2009 Oct 27. [Epub ahead of print] http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WFG-4XJG5PF-1&_user=2854086&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&_view=c&_acct=C000049426&_version=1&_urlVersion=0&_userid=2854086&md5=3bed8214a2ff5053f847a9d48ba365ea
- 2) Ankeny DP, Guan Z, Popovich PG. (2009) B cells produce pathogenic antibodies and impair recovery after spinal cord injury in mice. *J Clin Invest*. 2009 Oct;119(10):2990-9. doi: 10.1172/JCI39780. Epub 2009 Sep 21. <http://www.jci.org/articles/view/39780/pdf>
- 3) Chang YH, Auyang AG, Scholz JP, Nichols TR. (2009) Whole limb kinematics are preferentially conserved over individual joint kinematics after peripheral nerve injury. *J Exp Biol*. 2009 Nov;212(Pt 21):3511-21. <http://jeb.biologists.org/cgi/content/abstract/212/21/3511>
- 4) Chintawar S, Hourez R, Ravella A, Gall D, Orduz D, Rai M, Bishop DP, Geuna S, Schiffmann SN, Pandolfo M. (2009) Grafting neural precursor cells promotes functional recovery in an SCA1 mouse model. *J Neurosci*. 2009 Oct 21;29(42):13126-35. <http://www.jneurosci.org/cgi/content/abstract/29/42/13126>
- 5) Cicerone KD, Azulay J, Trott C (2009) Methodological Quality of Research on Cognitive Rehabilitation After Traumatic Brain Injury. *Arch Phys Med Rehabil*. 2009 Nov; 90(11):S3-S10 [http://www.archives-pmr.org/article/S0003-9993\(09\)00472-9/abstract](http://www.archives-pmr.org/article/S0003-9993(09)00472-9/abstract)
- 6) Courtine G, Gerasimenko Y, van den Brand R, Yew A, Musienko P, Zhong H, Song B, Ao Y, Ichiyama RM, Lavrov I, Roy RR, Sofroniew MV, Edgerton VR. (2009) Transformation of nonfunctional spinal circuits into functional states after the loss of brain input. *Nat Neurosci*. 2009 Oct;12(10):1333-42. Epub 2009 Sep 20. <http://www.nature.com/neuro/journal/v12/n10/abs/nn.2401.html>
- 7) Cumming TB, Plummer-D'Amato P, Linden T, Bernhardt J. (2009) Hemispatial neglect and rehabilitation in acute stroke. *Arch Phys Med Rehabil*. 2009 Nov;90(11):1931-6. [http://www.archives-pmr.org/article/S0003-9993\(09\)00454-7/abstract](http://www.archives-pmr.org/article/S0003-9993(09)00454-7/abstract)

- 8) Dai H, MacArthur L, McAtee M, Hockenbury N, Tidwell JL, McHugh B, Mansfield K, Finn T, Hamers FP, Bregman BS. (2009) Activity-based therapies to promote forelimb use after a cervical spinal cord injury. *J Neurotrauma*. 2009 Oct;26(10):1719-32.
<http://www.liebertonline.com/doi/abs/10.1089/neu.2008.0592>
- 9) Dalgas U, Stenager E, Jakobsen J, Petersen T, Hansen HJ, Knudsen C, Overgaard K, Ingemann-Hansen T. (2009) Resistance training improves muscle strength and functional capacity in multiple sclerosis. *Neurology*. 2009 Nov 3;73(18):1478-84.
<http://www.neurology.org/cgi/content/abstract/73/18/1478>
- 10) Darling WG, Pizzimenti MA, Rotella DL, Peterson CR, Hynes SM, Ge J, Solon K, McNeal DW, Stilwell-Morecraft KS, Morecraft RJ. (2009) Volumetric effects of motor cortex injury on recovery of dexterous movements. *Exp Neurol*. 2009 Nov;220(1):90-108. Epub 2009 Aug 10.
http://people.usd.edu/~rmorecra/Darling_ExpNeurology2009.pdf
- 11) Ghosh A, Sydekum E, Haiss F, Peduzzi S, Zörner B, Schneider R, Baltes C, Rudin M, Weber B, Schwab ME. (2009) Functional and anatomical reorganization of the sensory-motor cortex after incomplete spinal cord injury in adult rats. *J Neurosci*. 2009 Sep 30;29(39):12210-9.
<http://www.jneurosci.org/cgi/content/abstract/29/39/12210>
- 12) Gupta A, Srivastava A, Taly AB, Murali T. (2008) Single-stage multilevel soft-tissue surgery in the lower limbs with spastic cerebral palsy: Experience from a rehabilitation unit. *Indian J Orthop*. 2008 Oct;42(4):448-53.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2740361/>
- 13) Hayashi Y, Jacob-Vadakot S, Dugan EA, McBride S, Olexa R, Simansky K, Murray M, Shumsky JS. (2009) 5-HT precursor loading, but not 5-HT receptor agonists, increases motor function after spinal cord contusion in adult rats. *Exp Neurol*. 2009 Oct 17. [Epub ahead of print]
http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WFG-4XGBG2S-1&_user=2854086&_coverDate=10%2F17%2F2009&_alid=1106476641&_rdoc=1&_fmt=high&_orig=search&_cdi=6794&_sort=r&_docanchor=&_view=c&_ct=192&_acct=C000049426&_version=1&_urlVersion=0&_userid=2854086&md5=4f14896ead37cbe477e4602e15f5ffb9
- 14) Hyun JK, Lee YI, Son YJ, Park JS. (2009) Serial changes in bladder, locomotion, and levels of neurotrophic factors in rats with spinal cord contusion. *J Neurotrauma*. 2009 Oct;26(10):1773-82.
<http://www.liebertonline.com/doi/abs/10.1089/neu.2007.0485>
- 15) Huang HJ, Ferris DP. (2009) Upper limb effort does not increase maximal voluntary muscle activation in individuals with incomplete spinal cord injury. *Clin Neurophysiol*. 2009 Sep;120(9):1741-9. Epub 2009 Aug 21.
[http://www.clinph-journal.com/article/S1388-2457\(09\)00479-9/abstract](http://www.clinph-journal.com/article/S1388-2457(09)00479-9/abstract)

- 16) Hwang DH, Kim BG, Kim EJ, Lee SI, Joo IS, Suh-Kim H, Sohn S, Kim SU. (2009) Transplantation of human neural stem cells transduced with Olig2 transcription factor improves locomotor recovery and enhances myelination in the white matter of rat spinal cord following contusive injury. *BMC Neurosci.* 2009 Sep 22;10:117.
<http://www.biomedcentral.com/1471-2202/10/117/abstract>
- 17) Ilg W, Synofzik M, Brötz D, Burkard S, Giese MA, Schöls L. (2009) Intensive coordinative training improves motor performance in degenerative cerebellar disease. *Neurology.* 2009 Oct 28. [Epub ahead of print]
<http://www.neurology.org/cgi/content/abstract/WNL.0b013e3181c33adf1>
- 18) Jiang SC, Khan MI, Bain JR, Jiang C, Hansebout CR, Yu ZS, Liu Y, Rathbone MP. (2009) Locally transplanted enteric glia improve functional and structural recovery in a rat model of spinal cord injury. *Neural Regeneration Research* 2009;4(9):710-6.
http://www.crter.org/Html/2009_09_27/2025_9756_2009_09_27_67650.html
- 19) Johnson EI, Sibon I, Renou P, Rouanet F, Allard M, Swendsen J. (2009) Feasibility and validity of computerized ambulatory monitoring in stroke patients. *Neurology.* 2009 Nov 10;73(19):1579-83.
<http://www.neurology.org/cgi/content/abstract/73/19/1579>
- 20) Jung R, Belanger A, Kanchiku T, Fairchild M, Abbas JJ. (2009) Neuromuscular stimulation therapy after incomplete spinal cord injury promotes recovery of interlimb coordination during locomotion. *J Neural Eng.* 2009 Oct;6(5):55010. Epub 2009 Sep 1.
http://www.iop.org/EJ/article/1741-2552/6/5/055010/jne9_5_055010.pdf
- 21) Jung R, Ichihara K, Venkatasubramanian G, Abbas JJ. (2009) Chronic neuromuscular electrical stimulation of paralyzed hindlimbs in a rodent model. *J Neurosci Methods.* 2009 Oct 15;183(2):241-54. Epub 2009 Jul 9.
[http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T04-4WR19Y4-2&_user=2854086&_coverDate=10%2F15%2F2009&_rdoc=19&_fmt=high&_orig=browse&_srch=doc-info\(%23toc%234852%232009%23998169997%231489118%23FLA%23display%23Volume\)&_cdi=4852&_sort=d&_docanchor=&_ct=26&_acct=C000049426&_version=1&_urlVersion=0&_userid=2854086&md5=cce3380090c78203b1cd22d6ae21300a](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T04-4WR19Y4-2&_user=2854086&_coverDate=10%2F15%2F2009&_rdoc=19&_fmt=high&_orig=browse&_srch=doc-info(%23toc%234852%232009%23998169997%231489118%23FLA%23display%23Volume)&_cdi=4852&_sort=d&_docanchor=&_ct=26&_acct=C000049426&_version=1&_urlVersion=0&_userid=2854086&md5=cce3380090c78203b1cd22d6ae21300a)
- 22) Kigerl KA, Gensel JC, Ankeny DP, Alexander JK, Donnelly DJ, Popovich PG. (2009) Identification of two distinct macrophage subsets with divergent effects causing either neurotoxicity or regeneration in the injured mouse spinal cord. *J Neurosci.* 2009 Oct 28;29(43):13435-44.
<http://www.jneurosci.org/cgi/content/abstract/29/43/13435>
- 23) Kadoya K, Tsukada S, Lu P, Coppola G, Geschwind D, Filbin MT, Blesch A, Tuszynski MH. (2009) Combined intrinsic and extrinsic neuronal mechanisms facilitate bridging axonal regeneration one year after spinal cord injury. *Neuron.* 2009 Oct 29;64(2):165-72.
[http://www.cell.com/neuron/abstract/S0896-6273\(09\)00698-9](http://www.cell.com/neuron/abstract/S0896-6273(09)00698-9)

- 24) Katiuscia S, Franco C, Federico D, Davide M, Sergio D, Giuliano G. (2009) Reorganization and enhanced functional connectivity of motor areas in repetitive ankle movements after training in locomotor attention. *Brain Res.* 2009 Nov 10;1297:124-34. Epub 2009 Aug 21.
http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6SYR-4X24VR8-F&_user=2854086&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_searchStrId=1106373581&_rerunOrigin=google&_acct=C000049426&_version=1&_urlVersion=0&_userid=2854086&md5=8c8dae4639f14fbdd0ceabd6296f0b68
- 25) Laird AS, Carrive P, Waite PM. (2009) Effect of treadmill training on autonomic dysreflexia in spinal cord--injured rats. *Neurorehabil Neural Repair.* 2009 Nov;23(9):910-20. Epub 2009 May 18.
<http://nnr.sagepub.com/cgi/content/refs/23/9/910>
- 26) Lee SI, Kim BG, Hwang DH, Kim HM, Kim SU. (2009) Overexpression of Bcl-XL in human neural stem cells promotes graft survival and functional recovery following transplantation in spinal cord injury. *J Neurosci Res.* 2009 Nov 1;87(14):3186-97.
<http://www3.interscience.wiley.com/journal/122457488/abstract>
- 27) Liang H, Liang P, Xu Y, Wu J, Liang T, Xu X. (2009) DHAM-BMSC matrix promotes axonal regeneration and functional recovery after spinal cord injury in adult rats. *J Neurotrauma.* 2009 Oct;26(10):1745-57.
<http://www.liebertonline.com/doi/abs/10.1089/neu.2008-0850>
- 28) Lighthall-Haubert L, Requejo PS, Mulroy SJ, Newsam CJ, Bontrager E, Gronley JK, Perry J. (2009) Comparison of shoulder muscle electromyographic activity during standard manual wheelchair and push-rim activated power assisted wheelchair propulsion in persons with complete tetraplegia. *Arch Phys Med Rehabil.* 2009 Nov;90(11):1904-15.
[http://www.archives-pmr.org/article/S0003-9993\(09\)00645-5/abstract](http://www.archives-pmr.org/article/S0003-9993(09)00645-5/abstract)
- 29) Lucca LF, Castelli E and Sannita WG. (2009) The application of robotics in the functional motor recovery of the paretic upper limb. *Journal of Rehabilitation Medicine* 2009;41(12).
<http://jrm.medicaljournals.se/article/pdf/10.2340/00015555-2>
- 30) Martinez M, Delcour M, Russier M, Zennou-Azogui Y, Xerri C, Coq JO, Brezun JM. (2009). Differential tactile and motor recovery and cortical map alteration after C4-C5 spinal hemisection. *Exp Neurol.* 2009 Nov 4. [Epub ahead of print]
http://www.unboundmedicine.com/medline/ebm/record/19896483/full_citation/Differential_tactile_and_motor_recovery_and_cortical_map_alteration_after_C4_5_spinal_hemisection
- 31) Morton SM, Bastian AJ. (2009) Can rehabilitation help ataxia? *Neurology.* 2009 Oct 28. [Epub ahead of print]
<http://www.neurology.org/cgi/content/citation/WNL.0b013e3181c33b21v1>

- 32) Murguia M, Corey DM, Daniels SK. (2009) Comparison of sequential swallowing in patients with acute stroke and healthy adults. *Arch Phys Med Rehabil.* 2009 Nov;90(11):1860-5.
[http://www.archives-pmr.org/article/S0003-9993\(09\)00455-9/abstract](http://www.archives-pmr.org/article/S0003-9993(09)00455-9/abstract)
- 33) Natale A, Taylor S, LaBarbera J, Bensimon L, McDowell S, Mumma SL, Backus D, Zanca JM, Gassaway J. (2009) SCIREhab Project series: the physical therapy taxonomy. *J Spinal Cord Med.* 2009;32(3):270-82.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2718813/>
- 34) Nathan DE, Johnson MJ, McGuire JR. (2009) Design and validation of low-cost assistive glove for hand assessment and therapy during activity of daily living-focused robotic stroke therapy. *J Rehabil Res Dev.* 2009;46(5):587-602.
<http://www.rehab.research.va.gov/jour/09/46/5/pdf/nathan.pdf>
- 35) Nieuwenhuijsen C, Donkervoort M, Nieuwstraten W, Stam HJ, Roebroek ME, (2009) Experienced problems of young adults with cerebral palsy: targets for rehabilitation care. *Arch Phys Med Rehabil.* 2009 Nov;90(11):1891-7.
[http://www.archives-pmr.org/article/S0003-9993\(09\)00643-1/abstract](http://www.archives-pmr.org/article/S0003-9993(09)00643-1/abstract)
- 36) Nooijen CF, Ter Hoeve N, Field-Fote EC. (2009) Gait quality is improved by locomotor training in individuals with SCI regardless of training approach. *J Neuroeng Rehabil.* 2009 Oct 2;6:36.
<http://www.jneuroengrehab.com/content/6/1/36>
- 37) Ozelie R, Sipple C, Foy T, Cantoni K, Kellogg K, Lookingbill J, Backus D, Gassaway J. (2009) SCIREhab Project series: the occupational therapy taxonomy. *J Spinal Cord Med.* 2009;32(3):283-97.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2718817/>
- 38) Rossi S, Hallett M, Rossini PM, Pascual-Leone A. (2009) Safety, ethical considerations, and application guidelines for the use of transcranial magnetic stimulation in clinical practice and research. *Clin Neurophysiol.* 2009 Oct 13. [Epub ahead of print]
http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VNP-4XFND0R-1&_user=2854086&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&_view=c&_searchStrId=1106416715&_rerunOrigin=google&_acct=C000049426&_version=1&_urlVersion=0&_userid=2854086&md5=f4643a76ee014cc7171f843c2ae22a98
- 39) Sangole AP, Levin MF (2009) Palmar arch modulation in patients with hemiparesis after a stroke. *Exp Brain Res.* 2009 Oct;199(1):59-70. Epub 2009 Aug 19.
<http://www.springerlink.com/content/133w0710315m8362/>
- 40) Schiwy N, Brazda N, Müller HW. (2009) Enhanced regenerative axon growth of multiple fibre populations in traumatic spinal cord injury following scar-suppressing treatment. *Eur J Neurosci.* 2009 Oct;30(8):1544-53. Epub 2009 Oct 8.

<http://pt.wkhealth.com/pt/re/ejnr/abstract.00009274-200930080-00012.htm;jsessionid=LK2W5y7IjLsLHPpD4F4zWQ0WIjTQfGQWTW3tNHlrXp33CNDYKWMv!1343080607!181195629!8091!-1>

- 41) States RA, Pappas E, Salem Y. (2009) Overground Physical Therapy Gait Training for Chronic Stroke Patients With Mobility Deficits. *Stroke*. 2009 Sep 17. [Epub ahead of print]
<http://stroke.ahajournals.org/cgi/content/short/40/11/e627>
- 42) Stoeckel MC, Binkofski F. (2009) The role of ipsilateral primary motor cortex in movement control and recovery from brain damage. *Exp Neurol*. 2009 Nov 4. [Epub ahead of print]
http://www.ncbi.nlm.nih.gov/pubmed/19896482?itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum&ordinalpos=1
- 43) Svehlík M, Zwick EB, Steinwender G, Linhart WE, Schwingenschuh P, Katschnig P, Ott E, Enzinger C. (2009) Gait analysis in patients with Parkinson's disease off dopaminergic therapy. *Arch Phys Med Rehabil*. 2009 Nov;90(11):1880-6.
[http://www.archives-pmr.org/article/S0003-9993\(09\)00649-2/abstract](http://www.archives-pmr.org/article/S0003-9993(09)00649-2/abstract)
- 44) Whiteneck G, Dijkers M, Gassaway J, Lammertse DP. (2009) The SCIREhab Project: classification and quantification of spinal cord injury rehabilitation treatments. Preface. *J Spinal Cord Med*. 2009;32(3):249-50.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2718826/pdf/i1079-0268-32-3-249.pdf>
- 45) Whiteneck G, Gassaway J, Dijkers M, Jha A. (2009) New approach to study the contents and outcomes of spinal cord injury rehabilitation: the SCIREhab Project. *J Spinal Cord Med*. 2009;32(3):251-9.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2718827/pdf/i1079-0268-32-3-251.pdf>
- 46) Whyte J, Gordon W, Rothi LJG. (2009) A Phased Developmental Approach to Neurorehabilitation Research: The Science of Knowledge Building. *Arch Phys Med Rehabil*. 2009 Nov; 90(11):S3-S10
[http://www.archives-pmr.org/article/S0003-9993\(09\)00474-2/abstract](http://www.archives-pmr.org/article/S0003-9993(09)00474-2/abstract)
- 47) Wolinsky JS. (2009) MRI lesion loads and disability relationships in MS: more similar than different? *Neurology*. 2009 Nov 10;73(19):1524-5. Epub 2009 Oct 14.
<http://www.neurology.org/cgi/content/citation/73/19/1524>