

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

A Meta-Analysis of Botulinum Toxin Sphincteric Injections in the Treatment of Incomplete Voiding After Spinal Cord Injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22365478>

Mehta S, Hill D, Foley N, Hsieh J, Ethans K, Potter P, Baverstock R, Teasell RW, Wolfe D; Spinal Cord Injury Rehabilitation Evidence Research Team.

Arch Phys Med Rehabil. 2012 Feb 23. [Epub ahead of print] PMID: 22365478

The Inhibitory Effects of Pudendal Nerve Stimulation on Bladder Overactivity in Spinal Cord Injury Dogs: Is Early Stimulation Necessary?

<http://www.ncbi.nlm.nih.gov/pubmed/22364358>

Chen G, Liao L, Dong Q, Ju Y.

Neuromodulation. 2012 Feb 24. doi: 10.1111/j.1525-1403.2012.00434.x. [Epub ahead of print] PMID: 22364358

Influence of different types of seat cushions on the static sitting posture in individuals with spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22350034>

Metring NL, Gaspar MI, Mateus-Vasconcelos EC, Gomes MM, de Abreu DC.

Spinal Cord. 2012 Feb 21. doi: 10.1038/sc.2012.7. [Epub ahead of print] PMID: 22350034

Effects of electrical stimulation-induced gluteal versus gluteal and hamstring muscles activation on sitting pressure distribution in persons with a spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22350033>

Smit CA, Haverkamp GL, de Groot S, Stolwijk-Swuste JM, Janssen TW.

Spinal Cord. 2012 Feb 21. doi: 10.1038/sc.2012.6. [Epub ahead of print] PMID: 22350033

Arm and leg coordination during treadmill walking in individuals with motor incomplete spinal cord injury: A preliminary study.

<http://www.ncbi.nlm.nih.gov/pubmed/22341058>

Tester NJ, Barbeau H, Howland DR, Cantrell A, Behrman AL.

Gait Posture. 2012 Feb 14. [Epub ahead of print] PMID: 22341058

Effects of compression stockings on sympathetic activity and heart rate variability in individuals with spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22333734>

Diana R, Paul C, Vincent P, Francois B, Frederic R.

J Spinal Cord Med. 2012 Feb 4. [Epub ahead of print] PMID: 22333734

Should complete and incomplete spinal cord injury patients receive the same attention in urodynamic evaluations and ultrasonography examinations of the upper urinary tract?

<http://www.ncbi.nlm.nih.gov/pubmed/22330305>

Akkoc Y, Cinar Y, Kismali E.

Int J Rehabil Res. 2012 Feb 10. [Epub ahead of print] PMID: 22330305

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Physical therapists' ability to predict future mobility after spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22327398>

Chu J, Harvey LA, Ben M, Batty J, Avis A, Adams R.
J Neurol Phys Ther. 2012 Mar;36(1):3-7. PMID: 22327398

A comparison of patients' and physiotherapists' expectations about walking post spinal cord injury: a longitudinal cohort study.

<http://www.ncbi.nlm.nih.gov/pubmed/22310321>

Harvey LA, Adams R, Chu J, Batty J, Barratt D.
Spinal Cord. 2012 Feb 7. doi: 10.1038/sc.2012.1. [Epub ahead of print] PMID: 22310321

Sigmoid compliance and visceral perception in spinal cord injury patients.

<http://www.ncbi.nlm.nih.gov/pubmed/22266835>

Salvioli B, Bazzocchi G, Barbara G, Stanghellini V, Cremon C, Menarini M, Corinaldesi R, De Giorgio R.
Eur J Gastroenterol Hepatol. 2012 Mar;24(3):340-5. PMID: 22266835

Gait training in human spinal cord injury using electromechanical systems: effect of device type and patient characteristics.

<http://www.ncbi.nlm.nih.gov/pubmed/22209475>

Benito-Penalva J, Edwards DJ, Opisso E, Cortes M, Lopez-Blazquez R, Murillo N, Costa U, Tormos JM, Vidal-Samsó J, Valls-Solé J; European Multicenter Study about Human Spinal Cord Injury Study Group, Medina J.

Arch Phys Med Rehabil. 2012 Mar;93(3):404-12. Epub 2011 Dec 29. PMID: 22209475

Limb segment vibration modulates spinal reflex excitability and muscle mRNA expression after spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21963319>

Chang SH, Tseng SC, McHenry CL, Littmann AE, Suneja M, Shields RK.
Clin Neurophysiol. 2012 Mar;123(3):558-68. Epub 2011 Oct 1. PMID: 21963319

Free Article: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3270316/?tool=pubmed>

Feasibility and efficacy of upper limb robotic rehabilitation in a subacute cervical spinal cord injury population.

<http://www.ncbi.nlm.nih.gov/pubmed/21912402>

Zariffa J, Kapadia N, Kramer JL, Taylor P, Alizadeh-Meghbrazi M, Zivanovic V, Willms R, Townson A, Curt A, Popovic MR, Steeves JD.

Spinal Cord. 2012 Mar;50(3):220-6. doi: 10.1038/sc.2011.104. Epub 2011 Sep 13. PMID: 21912402

Fatigue level in spinal cord injury AIS D community ambulatory subjects.

<http://www.ncbi.nlm.nih.gov/pubmed/22270195>

Freixes O, Rivas ME, Agrati PE, Bochkezanian V, Waldman SV, Olmos LE.
Spinal Cord. 2012 Jan 24. doi: 10.1038/sc.2011.175. [Epub ahead of print] PMID: 22270195

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Functional outcome of patients 12 and 48 weeks after acute traumatic tetraplegia and paraplegia: data analysis from 2004-2009.

<http://www.ncbi.nlm.nih.gov/pubmed/22249330>

Högel F, Mach O, Maier D.

Spinal Cord. 2012 Jan 17. doi: 10.1038/sc.2011.171. [Epub ahead of print] PMID: 22249330

Design and evaluation of a low-cost instrumented glove for hand function assessment.

<http://www.ncbi.nlm.nih.gov/pubmed/22248160>

Oess NP, Wanek J, Curt A.

J Neuroeng Rehabil. 2012 Jan 17;9(1):2. [Epub ahead of print] PMID: 22248160

Free Article: <http://www.jneuroengrehab.com/content/9/1/2>

Phosphorylated neurofilament subunit NF-H as a biomarker for evaluating the severity of spinal cord injury patients, a pilot study.

<http://www.ncbi.nlm.nih.gov/pubmed/22270191>

Hayakawa K, Okazaki R, Ishii K, Ueno T, Izawa N, Tanaka Y, Toyooka S, Matsuoka N, Morioka K, Ohori Y, Nakamura K, Akai M, Tobimatsu Y, Hamabe Y, Ogata T.

Spinal Cord. 2012 Jan 24. doi: 10.1038/sc.2011.184. [Epub ahead of print] PMID: 22270191

Design and simulation of a new powered gait orthosis for paraplegic patients.

<http://www.ncbi.nlm.nih.gov/pubmed/22235109>

Arazpour M, Chitsazan A, Hutchins SW, Ghomshe FT, Mousavi ME, Takamjani EE, Aminian G, Rahgozar M, Bani MA.

Prosthet Orthot Int. 2012 Jan 10. [Epub ahead of print] PMID: 22235109

Investigating Changes in Quality of Life and Function Along the Lifespan for People With Spinal Cord Injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22277242>

Pershouse KJ, Barker RN, Kendall MB, Buettner PG, Kuipers P, Schuurs SB, Amsters DI.

Arch Phys Med Rehabil. 2012 Jan 23. [Epub ahead of print] PMID: 22277242

Diffusion Tensor Imaging in Pediatric Spinal Cord Injury: Preliminary Examination of Reliability and Clinical Correlation.

<http://www.ncbi.nlm.nih.gov/pubmed/22210015>

Mulcahey M, Samdani A, Gaughan J, Barakat N, Faro S, Betz RR, Finsterbusch J, Mohamed FB.

Spine (Phila Pa 1976). 2011 Dec 28. [Epub ahead of print] PMID: 22210015

Gait Training in Human Spinal Cord Injury Using Electromechanical Systems: Effect of Device Type and Patient Characteristics.

<http://www.ncbi.nlm.nih.gov/pubmed/22209475>

Benito-Penalva J, Edwards DJ, Opisso E, Cortes M, Lopez-Blazquez R, Murillo N, Costa U, Tormos JM, Vidal-Samsó J, Valls-Solé J; European Multicenter Study about Human Spinal Cord Injury Study Group, Medina J.

Arch Phys Med Rehabil. 2011 Dec 29. [Epub ahead of print] PMID: 22209475

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Relationship between clinical assessments of function and measurements from an upper-limb robotic rehabilitation device in cervical spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22203726>

Zariffa J, Kapadia N, Kramer J, Taylor P, Alizadeh-Meghrizi M, Zivanovic V, Albisser U, Willms R, Townson A, Curt A, Popovic M, Steeves J.

IEEE Trans Neural Syst Rehabil Eng. 2011 Dec 23. [Epub ahead of print] PMID: 22203726

High dose compressive loads attenuate bone mineral loss in humans with spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22187008>

Dudley-Javoroski S, Saha PK, Liang G, Li C, Gao Z, Shields RK.

Osteoporos Int. 2011 Dec 21. [Epub ahead of print] PMID: 22187008

Disuse muscle atrophy exacerbates motor neuronal degeneration caudal to the site of spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22182976>

Ohnishi YI, Iwatsuki K, Shinzawa K, Nakai Y, Ishihara M, Yoshimine T.

Neuroreport. 2011 Dec 16. [Epub ahead of print] PMID: 22182976

The CONECISI trial: Results of a randomized controlled trial of a multidisciplinary cognitive behavioral program for coping with chronic neuropathic pain after spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22100355>

Heutink M, Post MW, Bongers-Janssen HM, Dijkstra CA, Snoek GJ, Spijkerman DC, Lindeman E.

Pain. 2012 Jan;153(1):120-8. Epub 2011 Nov 17. PMID: 22100355

Effect of spinal cord injury and of intrathecal baclofen on brainstem reflexes.

<http://www.ncbi.nlm.nih.gov/pubmed/22030139>

Kumru H, Kofler M. Clin Neurophysiol. 2012 Jan;123(1):45-53. Epub 2011 Oct 24. PMID: 22030139

Effects of resistance training on adiposity and metabolism after spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21659900>

Gorgey AS, Mather KJ, Cupp HR, Gater DR. Med Sci Sports Exerc. 2012 Jan;44(1):165-74. PMID: 21659900

Locomotor adaptation to resistance during treadmill training transfers to overground walking in human SCI.

<http://www.ncbi.nlm.nih.gov/pubmed/22108702>

Yen SC, Schmit BD, Landry JM, Roth H, Wu M.

Exp Brain Res. 2011 Nov 23. [Epub ahead of print] PMID: 22108702

Efficacy and safety of lithium carbonate treatment of chronic spinal cord injuries: a double-blind, randomized, placebo-controlled clinical trial.

<http://www.ncbi.nlm.nih.gov/pubmed/22105463>

Yang ML, Li JJ, So KF, Chen JY, Cheng WS, Wu J, Wang ZM, Gao F, Young W.

Spinal Cord. 2011 Nov 22. doi: 10.1038/sc.2011.126. [Epub ahead of print] PMID: 22105463

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

The CONECISI trial: Results of a randomized controlled trial of a multidisciplinary cognitive behavioral program for coping with chronic neuropathic pain after spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22100355>

Heutink M, Post MW, Bongers-Janssen HM, Dijkstra CA, Snoek GJ, Spijkerman DC, Lindeman E. Pain. 2011 Nov 17. [Epub ahead of print] PMID: 22100355

The nature and course of sensory changes following spinal cord injury: predictive properties and implications on the mechanism of central pain.

<http://www.ncbi.nlm.nih.gov/pubmed/22094538>

Zeilig G, Enosh S, Rubin-Asher D, Lehr B, Defrin R. Brain. 2011 Nov 16. [Epub ahead of print] PMID: 22094538

Corticomotor representation to a human forearm muscle changes following cervical spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22082003>

Freund P, Rothwell J, Craggs M, Thompson AJ, Bestmann S. Eur J Neurosci. 2011 Dec;34(11):1839-46. doi: 10.1111/j.1460-9568.2011.07895.x. Epub 2011 Nov 14. PMID: 22082003

The translational dialogue in spinal cord injury research.

<http://www.ncbi.nlm.nih.gov/pubmed/22064661>

Curt A. Spinal Cord. 2011 Nov 8. doi: 10.1038/sc.2011.113. [Epub ahead of print] PMID: 22064661

Associations between psychological factors and quality of life ratings in persons with spinal cord injury: a systematic review.

<http://www.ncbi.nlm.nih.gov/pubmed/22042298>

van Leeuwen CM, Kraaijeveld S, Lindeman E, Post MW. Spinal Cord. 2011 Nov 1. doi: 10.1038/sc.2011.120. [Epub ahead of print] PMID: 22042298

Possible deleterious effects of therapy solely directed at neural plasticity and walking in people with serious spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22032227>

Harvey LA, Somers MF, Hastings JD, Bruce JA. Arch Phys Med Rehabil. 2011 Nov;92(11):1924. No abstract available. PMID: 22032227

Safety of intramedullary Schwann cell transplantation for postrehabilitation spinal cord injuries: 2-year follow-up of 33 cases.

<http://www.ncbi.nlm.nih.gov/pubmed/21800956>

Saberi H, Firouzi M, Habibi Z, Moshayedi P, Aghayan HR, Arjmand B, Hosseini K, Razavi HE, Yekaninejad MS. J Neurosurg Spine. 2011 Nov;15(5):515-25. Epub 2011 Jul 29. PMID: 21800956

Mismatch between investigator-determined and patient-reported independence after spinal cord injury: consequences for rehabilitation and trials.

<http://www.ncbi.nlm.nih.gov/pubmed/21636830>

van Hedel HJ, Dokladal P, Hotz-Boendermaker S; EM-SCI Study Group. Neurorehabil Neural Repair. 2011 Nov-Dec;25(9):855-64. Epub 2011 Jun 2. PMID: 21636830

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Effect of spinal cord injury and of intrathecal baclofen on brainstem reflexes.

<http://www.ncbi.nlm.nih.gov/pubmed/22030139>

Kumru H, Kofler M.

Clin Neurophysiol. 2011 Oct 24. [Epub ahead of print] PMID: 22030139

Management of acute overdose or withdrawal state in intrathecal baclofen therapy.

<http://www.ncbi.nlm.nih.gov/pubmed/22006082>

Watve SV, Sivan M, Raza WA, Jamil FF.

Spinal Cord. 2011 Oct 18. doi: 10.1038/sc.2011.112. [Epub ahead of print] PMID: 22006082

Foot placement variability as a walking balance mechanism post-spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/22000699>

Day KV, Kautz SA, Wu SS, Suter SP, Behrman AL.

Clin Biomech (Bristol, Avon). 2011 Oct 13. [Epub ahead of print] PMID: 22000699

The diagnostic accuracy of self-report for determining S4-5 sensory and motor function in people with spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21987064>

Harvey LA, Weber G, Heriseanu R, Bowden JL.

Spinal Cord. 2011 Oct 11. doi: 10.1038/sc.2011.121. [Epub ahead of print] PMID: 21987064

Cardiorespiratory comorbidity: a new challenge for physical and rehabilitation medicine specialist.

<http://www.ncbi.nlm.nih.gov/pubmed/21750484>

Massucci M, Perrero L, Mantellini E, Petrozzino S, Gamna F, Nocella A, Sciarrini F, Antenucci R, Bonaiuti D. Eur J Phys Rehabil Med. 2011 Oct 26. [Epub ahead of print] PMID: 21750484

Free Article: <http://www.minervamedica.it/en/journals/europa-medicophysica/article.php?cod=R33Y9999N00A0133>

Changes in the Use of the Methylprednisolone Protocol for Traumatic Spinal Cord Injury in Switzerland.

<http://www.ncbi.nlm.nih.gov/pubmed/22020592>

Felleiter P, Müller N, Schumann F, Felix O, Lierz P.

Spine (Phila Pa 1976). 2011 Oct 24. [Epub ahead of print] PMID: 22020592

Retrospective study of rehabilitation outcomes following spinal cord injury due to tumour.

<http://www.ncbi.nlm.nih.gov/pubmed/21987063>

Tan M, New PW.

Spinal Cord. 2011 Oct 11. doi: 10.1038/sc.2011.103. [Epub ahead of print] PMID: 21987063

Aerobic Capacity With Hybrid FES Rowing in Spinal Cord Injury: Comparison With Arms-Only Exercise and Preliminary Findings With Regular Training.

<http://www.ncbi.nlm.nih.gov/pubmed/21944299>

Taylor JA, Picard G, Widrick JJ.

PM R. 2011 Sep;3(9):817-24. PMID:21944299\

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Feasibility and efficacy of upper limb robotic rehabilitation in a subacute cervical spinal cord injury population.

<http://www.ncbi.nlm.nih.gov/pubmed/21912402>

Zariffa J, Kapadia N, Kramer JL, Taylor P, Alizadeh-Meghbrazi M, Zivanovic V, Willms R, Townson A, Curt A, Popovic MR, Steeves JD.

Spinal Cord. 2011 Sep 13. doi: 10.1038/sc.2011.104. [Epub ahead of print] PMID:21912402

Characteristics of lower extremity clonus after human cervical spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21910643>

Wallace DM, Ross BH, Thomas C.

J Neurotrauma. 2011 Sep 12. [Epub ahead of print] PMID:21910643

Spinal cord injury-related bone impairment and fractures: An update on epidemiology and physiopathological mechanisms.

<http://www.ncbi.nlm.nih.gov/pubmed/21885901> FREE ARTICLE

Dionyssiotis Y.

J Musculoskelet Neuronal Interact. 2011 Sep;11(3):257-65. PMID:21885901

Free Article - <http://www.ismni.org/jmni/pdf/45/06DIONYSSIOTIS.pdf>

Acidic fibroblast growth factor for repair of human spinal cord injury: a clinical trial.

<http://www.ncbi.nlm.nih.gov/pubmed/21663406>

Wu JC, Huang WC, Chen YC, Tu TH, Tsai YA, Huang SF, Huang HC, Cheng H.

J Neurosurg Spine. 2011 Sep;15(3):216-27. Epub 2011 Jun 10. PMID:21663406

Spinal cord injury-related bone impairment and fractures: An update on epidemiology and physiopathological mechanisms.

<http://www.ncbi.nlm.nih.gov/pubmed/21885901>

Dionyssiotis Y.

J Musculoskelet Neuronal Interact. 2011 Sep;11(3):257-65. PMID: 21885901

Autonomic dysreflexia during urodynamic examinations in patients with suprasacral spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21878216>

Huang YH, Bih LI, Chen GD, Lin CC, Chen SL, Chen WW.

Arch Phys Med Rehabil. 2011 Sep;92(9):1450-4. PMID: 21878216

Brain Computer Interface Controlled Functional Electrical Stimulation System for Ankle Movement.

<http://www.ncbi.nlm.nih.gov/pubmed/21867567>

Do AH, Wang PT, King CE, Abiri A, Nenadic Z.

J Neuroeng Rehabil. 2011 Aug 26;8(1):49. PMID: 21867567

Reduced reciprocal inhibition during assisted stepping in human spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21684274>

Knikou M, Mummidisetty CK.

Exp Neurol. 2011 Sep;231(1):104-12. Epub 2011 Jun 13. PMID: 21684274

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Efficacy and safety study of arbaclofen placarbil in patients with spasticity due to spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21577221>

Nance PW, Huff FJ, Martinez-Arizala A, Ayyoub Z, Chen D, Bian A, Stamler D.

Spinal Cord. 2011 Sep;49(9):974-80. doi: 10.1038/sc.2011.43. Epub 2011 May 17. PMID: 21577221

Dysphagia in cervical spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21577216>

Shin JC, Yoo JH, Lee YS, Goo HR, Kim DH.

Spinal Cord. 2011 Sep;49(9):1008-13. doi: 10.1038/sc.2011.34. Epub 2011 May 17. PMID: 21577216

Gait analysis following treadmill training with body weight support versus conventional physical therapy: a prospective randomized controlled single blind study.

<http://www.ncbi.nlm.nih.gov/pubmed/21537338>

Lucareli PR, Lima MO, Lima FP, de Almeida JG, Brech GC, D'Andréa Greve JM.

Spinal Cord. 2011 Sep;49(9):1001-7. doi: 10.1038/sc.2011.37. Epub 2011 May 3. PMID: 21537338

Adult stem cell transplants for spinal cord injury repair: current state in preclinical research.

<http://www.ncbi.nlm.nih.gov/pubmed/21476980>

Hernández J, Torres-Espina A, Navarro X.

Curr Stem Cell Res Ther. 2011 Sep 1;6(3):273-87. PMID: 21476980

Injections of Botulinum Toxin A into the detrusor to treat neurogenic detrusor overactivity secondary to spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21110094>

Chen G, Liao L.

Int Urol Nephrol. 2011 Sep;43(3):655-62. Epub 2010 Nov 26. PMID: 21110094

Consumer preference in ranking walking function utilizing the walking index for spinal cord injury II.

<http://www.ncbi.nlm.nih.gov/pubmed/21788954>

Patrick M, Ditunno P, Ditunno JF, Marino RJ, Scivoletto G, Lam T, Loffree J, Tamburella F, Leiby B.

Spinal Cord. 2011 Jul 26. doi: 10.1038/sc.2011.77. [Epub ahead of print] PMID:21788954

Low-frequency H-reflex depression in trained human soleus after spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21640787>

Shields RK, Dudley-Javoroski S, Oza PD.

Neurosci Lett. 2011 Jul 20;499(2):88-92. Epub 2011 May 26. PMID:21640787

Prolonged electrical stimulation over hip flexors increases locomotor output in human SCI.

<http://www.ncbi.nlm.nih.gov/pubmed/21555239>

Wu M, Gordon K, Kahn JH, Schmit BD.

Clin Neurophysiol. 2011 Jul;122(7):1421-8. Epub 2011 May 8. PMID:21555239

Autonomic function as a missing piece of the classification of Paralympic athletes with spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21358721>

Mills PB, Krassioukov A.

Spinal Cord. 2011 Jul;49(7):768-76. doi: 10.1038/sc.2011.2. Epub 2011 Mar 1. PMID:21358721

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Neoplastic myelopathies and traumatic spinal cord lesions: an Italian comparison of functional and neurological outcomes.

<http://www.ncbi.nlm.nih.gov/pubmed/21321577>

Scivoletto G, Lapenna LM, Di Donna V, Laurenza L, Sterzi S, Foti C, Molinari M.
Spinal Cord. 2011 Jul;49(7):799-805. doi: 10.1038/sc.2011.6. Epub 2011 Feb 15. PMID:21321577

Association of spasticity and life satisfaction after spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21606929>

Westerkam D, Saunders LL, Krause JS.
Spinal Cord. 2011 May 24. [Epub ahead of print]
PMID:21606929

Disability, atrophy and cortical reorganization following spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21586596>

Freund P, Weiskopf N, Ward NS, Hutton C, Gall A, Ciccarelli O, Craggs M, Friston K, Thompson AJ.
Brain. 2011 Jun;134(Pt 6):1610-22. Epub 2011 May 17. PMID:21586596 Free PMC Article
Free full text - <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3102242/?tool=pubmed>

Quadrupedal coordination of bipedal gait: implications for movement disorders.

<http://www.ncbi.nlm.nih.gov/pubmed/21553270>

Dietz V.
J Neurol. 2011 May 8. [Epub ahead of print]
PMID:21553270

Gait analysis following treadmill training with body weight support versus conventional physical therapy: a prospective randomized controlled single blind study.

<http://www.ncbi.nlm.nih.gov/pubmed/21537338>

Lucareli PR, Lima MO, Lima FP, de Almeida JG, Brech GC, D'Andréa Greve JM.
Spinal Cord. 2011 May 3. [Epub ahead of print]
PMID:21537338

Prolonged electrical stimulation over hip flexors increases locomotor output in human SCI.

<http://www.ncbi.nlm.nih.gov/pubmed/21555239>

Wu M, Gordon K, Kahn JH, Schmit BD.
Clin Neurophysiol. 2011 Jul;122(7):1421-8. Epub 2011 May 8.
PMID:21555239

Dysphagia in cervical spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21577216>

Shin JC, Yoo JH, Lee YS, Goo HR, Kim DH.
Spinal Cord. 2011 May 17. [Epub ahead of print]
PMID:21577216

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

The International Spinal Cord Injury Endocrine and Metabolic Function Basic Data Set.

<http://www.ncbi.nlm.nih.gov/pubmed/21577217>

Bauman WA, Biering-Sørensen F, Krassioukov A.
Spinal Cord. 2011 May 17. [Epub ahead of print]
PMID:21577217

Critical Care of Traumatic Spinal Cord Injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21482574>

Jia X, Kowalski RG, Sciubba DM, Geocadin RG
J Intensive Care Med. 2011 Apr 11. [Epub ahead of print] PMID: 21482574

Comparison of patients managed in specialised spinal rehabilitation units with those managed in non-specialised rehabilitation units.

<http://www.ncbi.nlm.nih.gov/pubmed/21468042>

New PW, Simmonds F, Stevermuer T
Spinal Cord. 2011 Apr 5. [Epub ahead of print] PMID: 21468042

Recovery following ischemic myelopathies and traumatic spinal cord lesions.

<http://www.ncbi.nlm.nih.gov/pubmed/21468041>

Scivoletto G, Laurenza L, Mammone A, Foti C, Molinari M
Spinal Cord. 2011 Apr 5. [Epub ahead of print] PMID: 21468041

Are neuropathic pain screening tools useful for patients with spinal cord injury?

<http://www.ncbi.nlm.nih.gov/pubmed/21295912>

Haanpää M
Pain. 2011 Apr;152(4):715-6. Epub 2011 Feb 4. PMID: 21295912

Demyelination and degeneration in the injured human spinal cord detected with diffusion and magnetization transfer MRI.

<http://www.ncbi.nlm.nih.gov/pubmed/21232610>

Cohen-Adad J, El Mendili MM, Lehericy S, Pradat PF, Blancho S, Rossignol S, Benali H
Neuroimage. 2011 Apr 1;55(3):1024-33. Epub 2011 Jan 11. PMID: 21232610

Comparison of lower extremity motor score parameters for patients with motor incomplete spinal cord injury using gait parameters.

<http://www.ncbi.nlm.nih.gov/pubmed/21102574>

Shin JC, Yoo JH, Jung TH, Goo HR
Spinal Cord. 2011 Apr;49(4):529-33. Epub 2010 Nov 23. PMID: 21102574

Functional electrical stimulation therapy for grasping in traumatic incomplete spinal cord injury: randomized control trial.

<http://www.ncbi.nlm.nih.gov/pubmed/21401662>

Kapadia NM, Zivanovic V, Furlan J, Craven BC, McGillivray C, Popovic MR.
Artif Organs. 2011 Mar;35(3):212-6. doi: 10.1111/j.1525-1594.2011.01216.x. PMID: 21401662

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

International Spinal Cord Injury Female Sexual and Reproductive Function Basic Data Set.

<http://www.ncbi.nlm.nih.gov/pubmed/21383760>

Alexander MS, Biering-Sørensen F, Elliott S, Kreuter M, Sønksen J.
Spinal Cord. 2011 Mar 8. [Epub ahead of print] PMID: 21383760

A clinical prediction rule for ambulation outcomes after traumatic spinal cord injury: a longitudinal cohort study.

<http://www.ncbi.nlm.nih.gov/pubmed/21377202>

van Middendorp JJ, Hosman AJ, Donders AR, Pouw MH, Ditunno JF Jr, Curt A, Geurts AC, Van de Meent H; EM-SCI Study Group.
Lancet. 2011 Mar 19;377(9770):1004-10. Epub 2011 Mar 4. PMID: 21377202

Autonomic function as a missing piece of the classification of Paralympic athletes with spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21358721>

Mills PB, Krassioukov A.
Spinal Cord. 2011 Mar 1. [Epub ahead of print] PMID: 21358721

Patterns, predictors, and associated benefits of driving a modified vehicle after spinal cord injury: findings from the national spinal cord injury model systems.

<http://www.ncbi.nlm.nih.gov/pubmed/21353830>

Norweg A, Jette AM, Houlihan B, Ni P, Boninger ML.
Arch Phys Med Rehabil. 2011 Mar;92(3):477-83. PMID: 21353830

The impact of sacral sensory sparing in motor complete spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21353822>

Kirshblum S, Botticello A, Lammertse DP, Marino RJ, Chiodo AE, Jha A.
Arch Phys Med Rehabil. 2011 Mar;92(3):376-83. PMID: 21353822

Upper- and lower-extremity motor recovery after traumatic cervical spinal cord injury: an update from the national spinal cord injury database.

<http://www.ncbi.nlm.nih.gov/pubmed/21353821>

Marino RJ, Burns S, Graves DE, Leiby BE, Kirshblum S, Lammertse DP.
Arch Phys Med Rehabil. 2011 Mar;92(3):369-75. PMID: 21353821

Medical and psychosocial complications associated with method of bladder management after traumatic spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21276958>

Cameron AP, Wallner LP, Forchheimer MB, Clemens JQ, Dunn RL, Rodriguez G, Chen D, Horton J 3rd, Tate DG.
Arch Phys Med Rehabil. 2011 Mar;92(3):449-56. Epub 2011 Jan 31. PMID: 21276958

Device use, locomotor training and the presence of arm swing during treadmill walking after spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/20938449>

Tester NJ, Howland DR, Day KV, Suter SP, Cantrell A, Behrman AL.
Spinal Cord. 2011 Mar;49(3):451-6. Epub 2010 Oct 12. PMID: 20938449

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Development of quantitative and sensitive assessments of physiological and functional outcome during recovery from spinal cord injury: A Clinical Initiative.

<http://www.ncbi.nlm.nih.gov/pubmed/20728509>

Ellaway PH, Kuppuswamy A, Balasubramaniam AV, Maksimovic R, Gall A, Craggs MD, Mathias CJ, Bacon M, Prochazka A, Kowalczewski J, Conway BA, Galen S, Catton CJ, Allan DB, Curt A, Wirth B, van Hedel HJ. Brain Res Bull. 2011 Mar 10;84(4-5):343-57. Epub 2010 Aug 20. PMID: 20728509

Cell-based transplantation strategies to promote plasticity following spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21333647>

Ruff CA, Wilcox JT, Fehlings MG. Exp Neurol. 2011 Feb 16. [Epub ahead of print] PMID: 21333647

Rehabilitative training and plasticity following spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21333646>

Fouad K, Tetzlaff W. Exp Neurol. 2011 Feb 16. [Epub ahead of print] PMID: 21333646

Are neuropathic pain screening tools useful for patients with spinal cord injury?

<http://www.ncbi.nlm.nih.gov/pubmed/21295912>

Haanpää M. Pain. 2011 Feb 3. [Epub ahead of print] No abstract available. PMID: 21295912

Obesity and Inpatient Rehabilitation Outcomes for Patients with a Traumatic Spinal Cord Injury.

<http://www.ncbi.nlm.nih.gov/pubmed/21276960>

Stenson KW, Deutsch A, Heinemann AW, Chen D. Arch Phys Med Rehabil. 2011 Jan 28. [Epub ahead of print] PMID: 21276960

A cable-driven locomotor training system for restoration of gait in human SCI.

<http://www.ncbi.nlm.nih.gov/pubmed/21232961>

Wu M, Hornby TG, Landry JM, Roth H, Schmit BD. Gait Posture. 2011 Feb;33(2):256-60. Epub 2011 Jan 12. PMID: 21232961

Mimicking muscle activity with electrical stimulation.

<http://www.ncbi.nlm.nih.gov/pubmed/21248382>

Johnson LA, Fuglevand AJ. J Neural Eng. 2011 Jan 19;8(1):016009. [Epub ahead of print] PMID: 21248382

A cable-driven locomotor training system for restoration of gait in human SCI.

<http://www.ncbi.nlm.nih.gov/pubmed/21232961>

Wu M, Hornby TG, Landry JM, Roth H, Schmit BD. Gait Posture. 2011 Jan 11. [Epub ahead of print] PMID: 21232961

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Demyelination in the injured human spinal cord detected with diffusion and magnetization transfer imaging.

<http://www.ncbi.nlm.nih.gov/pubmed/21232610>

Cohen-Adad J, El Mendili MM, Lehericy S, Pradat PF, Blancho S, Rossignol S, Benali H. Neuroimage. 2011 Jan 11. [Epub ahead of print] PMID: 21232610

Validity and reliability of the 10-m walk test and the 6-min walk test in spinal cord injury patients.

<http://www.ncbi.nlm.nih.gov/pubmed/21221120>

Scivoletto G, Tamburella F, Laurenza L, Foti C, Ditunno JF, Molinari M. Spinal Cord. 2011 Jan 11. [Epub ahead of print] PMID: 21221120

A Novel Approach to Quantitatively Assess Posttraumatic Cervical Spinal Canal Compromise and Spinal Cord Compression: A Multicenter Responsiveness Study.

<http://www.ncbi.nlm.nih.gov/pubmed/21192294>

Furlan JC, Kailaya-Vasan A, Aarabi B, Fehlings MG. Spine (Phila Pa 1976). 2010 Dec 29. [Epub ahead of print] PMID: 21192294

Robot assisted treadmill training: Mechanisms and training strategies.

<http://www.ncbi.nlm.nih.gov/pubmed/21216650>

Hussain S, Xie SQ, Liu G. Med Eng Phys. 2011 Jan 7. [Epub ahead of print] PMID: 21216650

Challenges, concerns and common problems: physiological consequences of spinal cord injury and microgravity.

<http://www.ncbi.nlm.nih.gov/pubmed/20498665>

Scott JM, Warburton DE, Williams D, Whelan S, Krassioukov A. Spinal Cord. 2011 Jan;49(1):4-16. Epub 2010 May 25. PMID: 20498665

Predictors of outcome in acute traumatic central cord syndrome due to spinal stenosis.

<http://www.ncbi.nlm.nih.gov/pubmed/21166485>

Aarabi B, Alexander M, Mirvis SE, Shanmuganathan K, Chesler D, Maulucci C, Iguchi M, Aresco C, Blacklock T. J Neurosurg Spine. 2011 Jan;14(1):122-30. Epub 2010 Dec 17. PMID: 21166485

Treatment-resistant sensory motor symptoms in persons with SCI may be signs of restless legs syndrome.

<http://www.ncbi.nlm.nih.gov/pubmed/21116284>

Nilsson S, Levi R, Nordström A. Spinal Cord. 2010 Nov 30. [Epub ahead of print] PMID: 21116284

Modulation of spinal reflex by assisted locomotion in humans with chronic complete spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/20554473>

Bolliger M, Trepp A, Zörner B, Dietz V. Clin Neurophysiol. 2010 Dec;121(12):2152-8. Epub 2010 Jun 15. PMID: 20554473

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

The cutaneous silent period is preserved in cervical radiculopathy: significance for the diagnosis of cervical myelopathy.

Leis AA, Kofler M, Stetkarova I, Stokic DS.

Eur Spine J. 2010 Dec 5. [Epub ahead of print]PMID: 21132557

<http://www.ncbi.nlm.nih.gov/pubmed/21132557>

Treatment-resistant sensory motor symptoms in persons with SCI may be signs of restless legs syndrome.

Nilsson S, Levi R, Nordström A.

Spinal Cord. 2010 Nov 30. [Epub ahead of print]PMID: 21116284

<http://www.ncbi.nlm.nih.gov/pubmed/21116284>

Effect of different sympathetic stimuli-autonomic dysreflexia and head-up tilt-on leg vascular resistance in spinal cord injury.

Groothuis JT, Rongen GA, Geurts AC, Smits P, Hopman MT.

Arch Phys Med Rehabil. 2010 Dec;91(12):1930-5.PMID: 21112436

<http://www.ncbi.nlm.nih.gov/pubmed/21112436>

Injections of Botulinum Toxin A into the detrusor to treat neurogenic detrusor overactivity secondary to spinal cord injury.

Chen G, Liao L.

Int Urol Nephrol. 2010 Nov 26. [Epub ahead of print]PMID: 21110094

<http://www.ncbi.nlm.nih.gov/pubmed/21110094>

Imaging Evaluation of Intrathecal Baclofen Pump-Catheter Systems.

Miracle AC, Fox MA, Ayyangar RN, Vyas A, Mukherji SK, Quint DJ.

AJNR Am J Neuroradiol. 2010 Nov 24. [Epub ahead of print]PMID: 21030478

<http://www.ncbi.nlm.nih.gov/pubmed/21030478>

Positive effect of balance training with visual feedback on standing balance abilities in people with incomplete spinal cord injury.

Sayenko DG, Alekhina MI, Masani K, Vette AH, Obata H, Popovic MR, Nakazawa K.

Spinal Cord. 2010 Dec;48(12):886-93. Epub 2010 Apr 20.PMID: 20404833

<http://www.ncbi.nlm.nih.gov/pubmed/20404833>

Influence of a Locomotor Training Approach on Walking Speed and Distance in People With Chronic Spinal Cord Injury: A Randomized Clinical Trial.

Field-Fote EC, Roach KE.

Phys Ther. 2010 Nov 4. [Epub ahead of print]

<http://www.ncbi.nlm.nih.gov/pubmed/21051593>

Differences in functioning of individuals with tetraplegia and paraplegia according to the International Classification of Functioning, Disability and Health (ICF).

Herrmann KH, Kirchberger I, Biering-Sørensen F, Cieza A.

Spinal Cord. 2010 Nov 2. [Epub ahead of print]

<http://www.ncbi.nlm.nih.gov/pubmed/21042334>

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Insulin resistance in tetraplegia but not in mid-thoracic paraplegia: is the mid-thoracic spinal cord involved in glucose regulation?

Bluvshstein V, Korczyn AD, Pinhas I, Vered Y, Gelernter I, Catz A.
Spinal Cord. 2010 Nov 2. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/21042331>

The timing and achievement of mobility skills during SCI rehabilitation.

Hillier S, Fisher PH, Stiller K.
Spinal Cord. 2010 Oct 26. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/20975731>

The effects of phenol neurolysis of the obturator nerve on the distribution of buttock-seat interface pressure in spinal cord injury patients with hip adductor spasticity.

Yaşar E, Tok F, Taşkınatan MA, Yılmaz B, Balaban B, Alaca R.
Spinal Cord. 2010 Nov;48(11):828-31. Epub 2010 Apr 13.
<http://www.ncbi.nlm.nih.gov/pubmed/20386553>

A multidisciplinary cognitive behavioural programme for coping with chronic neuropathic pain following spinal cord injury: the protocol of the CONECISI trial.

Heutink M, Post MW, Luthart P, Pfennings LE, Dijkstra CA, Lindeman E.
BMC Neurol. 2010 Oct 20;10:96.
<http://www.ncbi.nlm.nih.gov/pubmed/20961406>

Functional reorganization of upper-body movement after spinal cord injury.

Casadio M, Pressman A, Fishbach A, Danziger Z, Acosta S, Chen D, Tseng HY, Mussa-Ivaldi FA.
Exp Brain Res. 2010 Oct 24. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/20972779>

Bone and muscle loss after spinal cord injury: organ interactions.

Qin W, Bauman WA, Cardozo C.
Ann N Y Acad Sci. 2010 Nov;1211(1):66-84. doi: 10.1111/j.1749-6632.2010.05806.x.
<http://www.ncbi.nlm.nih.gov/pubmed/21062296>

Length of stay and medical stability for spinal cord-injured patients on admission to an inpatient rehabilitation hospital: a comparison between a model SCI trauma center and non-SCI trauma center.

<http://www.ncbi.nlm.nih.gov/pubmed/20921959>
Ploumis A, Kolli S, Patrick M, Owens M, Beris A, Marino RJ.
Spinal Cord. 2010 Oct 5. [Epub ahead of print]

Operation of a P300-based brain-computer interface by individuals with cervical spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/20880741>
Ikegami S, Takano K, Saeki N, Kansaku K.
Clin Neurophysiol. 2010 Sep 27. [Epub ahead of print]

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Neural control of locomotion and training-induced plasticity after spinal and cerebral lesions.

<http://www.ncbi.nlm.nih.gov/pubmed/20427232>

Knikou M. Clin Neurophysiol. 2010 Oct;121(10):1655-68. Epub 2010 Apr 27. Review.

Upper limb joint kinetics during manual wheelchair propulsion in patients with different levels of spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/20541760>

Gil-Agudo A, Del Ama-Espinosa A, Pérez-Rizo E, Pérez-Nombela S, Pablo Rodríguez-Rodríguez L. J Biomech. 2010 Sep 17;43(13):2508-15. Epub 2010 Jun 11.

Compressive radial neuropathy induced by 'hooking' manoeuvre in a tetraplegic person.

<http://www.ncbi.nlm.nih.gov/pubmed/20877330>

Julia PE, Mazlina M, Nazirah H. Spinal Cord. 2010 Sep 28. [Epub ahead of print]

A systematic review of wheelchair skills tests for manual wheelchair users with a spinal cord injury: towards a standardized outcome measure.

<http://www.ncbi.nlm.nih.gov/pubmed/20554638>

Fliess-Douer O, Vanlandewijck YC, Lubel Manor G, Van Der Woude LH. Clin Rehabil. 2010 Oct;24(10):867-86. Epub 2010 Jun 16.

Acute effects of whole body vibration during passive standing on soleus H-reflex in subjects with and without spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/20633603>

Sayenko DG, Masani K, Alizadeh-Meghbrazi M, Popovic MR, Craven BC. Neurosci Lett. 2010 Sep 20;482(1):66-70. Epub 2010 Jul 13

Effect of autonomic dysfunction on p-wave dispersion in patients with chronic spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/20855983>

Yasar E, Yilmaz B, Yasar AS, Goktepe AS, Alaca R, Mohur H. Am J Phys Med Rehabil. 2010 Oct;89(10):824-30.

Sympathetic influence on biomechanical skin properties after spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/20856260>

Park JW, Seo CH, Han SH, Lee YG. Spinal Cord. 2010 Sep 21. [Epub ahead of print]

Patient-cooperative control increases active participation of individuals with SCI during robot-aided gait training.

<http://www.ncbi.nlm.nih.gov/pubmed/20828422>

Duschau-Wicke A, Caprez A, Riener R. J Neuroeng Rehabil. 2010 Sep 10;7(1):43. [Epub ahead of print]

The Development of a Sensory Substitution System for the Sexual Rehabilitation of Men with Chronic Spinal Cord Injury.

<http://www.ncbi.nlm.nih.gov/pubmed/20807328>

Borisoff JF, Elliott SL, Hocaloski S, Birch GE. J Sex Med. 2010 Aug 30. [Epub ahead of print]

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

An attempt to treat patients who have injured spinal cords with intralesional implantation of concentrated autologous bone marrow cells.

<http://www.ncbi.nlm.nih.gov/pubmed/20735163>

Attar A, Ayten M, Ozdemir M, Ozgencil E, Bozkurt M, Kaptanoglu E, Beksac M, Kanpolat Y. Cytotherapy. 2010 Aug 24. [Epub ahead of print]

Development of quantitative and sensitive assessments of physiological and functional outcome during recovery from spinal cord injury: A Clinical Initiative.

<http://www.ncbi.nlm.nih.gov/pubmed/20728509>

Ellaway PH, Kuppaswamy A, Balasubramaniam AV, Maksimovic R, Gall A, Craggs MD, Mathias CJ, Bacon M, Prochazka A, Kowalczewski J, Conway BA, Galen S, Catton CJ, Allan DB, Curt A, Wirth B, van Hedel H J. Brain Res Bull. 2010 Aug 20. [Epub ahead of print]

Effects of hand cycle training on wheelchair capacity during clinical rehabilitation in persons with a spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/20726737>

Valent L, Dallmeijer A, Houdijk H, Sloopman HJ, Janssen TW, Van Der Woude LH. Disabil Rehabil. 2010 Aug 20. [Epub ahead of print]

Clinicians' and patients' impressions of change in motor performance as potential outcome measures for clinical trials.

<http://www.ncbi.nlm.nih.gov/pubmed/20714336>

Harvey LA, Folpp H, Denis S, Barratt D, Quirk R, Allison GT, Adams R. Spinal Cord. 2010 Aug 17. [Epub ahead of print]

Differential development of sensory hypersensitivity and a measure of spinal cord hyperexcitability following whiplash injury.

<http://www.ncbi.nlm.nih.gov/pubmed/20594646>

Sterling M. Pain. 2010 Sep;150(3):501-6. Epub 2010 Jul 1.

Severe degeneration of peripheral motor axons after spinal cord injury: a European multicenter study in 345 patients.

<http://www.ncbi.nlm.nih.gov/pubmed/20439500>

Van De Meent H, Hosman AJ, Hendriks J, Zwarts M; EM-SCI Study Group, Schubert M. Neurorehabil Neural Repair. 2010 Sep;24(7):657-65. Epub 2010 May 3.

Force-pain relationship in functional magnetic and electrical stimulation of subjects with paresis and preserved sensation.

<http://www.ncbi.nlm.nih.gov/pubmed/20382558>

Szececi J, Götz S, Pöllmann W, Straube A. Clin Neurophysiol. 2010 Sep;121(9):1589-97. Epub 2010 Apr 10.

Outcome measures: evolution in clinical trials of neurological/functional recovery in spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/20125111>

Ditunno JF. Spinal Cord. 2010 Sep;48(9):674-84. Epub 2010 Feb 2.

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Efficacies of papaverine and sildenafil in the treatment of erectile dysfunction in early-stage paraplegic men.

<http://www.ncbi.nlm.nih.gov/pubmed/20700057>

Yildiz N, Gokkaya NK, Koseoglu F, Gokkaya S, Comert D. Int J Rehabil Res. 2010 Aug 7. [Epub ahead of print]

Incidence of symptomatic autonomic dysreflexia varies according to the bowel and bladder management techniques in patients with spinal cord injury.

<http://www.ncbi.nlm.nih.gov/pubmed/20697419>

Furusawa K, Tokuhira A, Sugiyama H, Ikeda A, Tajima F, Genda E, Uchida R, Tominaga T, Tanaka H, Magara A, Sumida M. Spinal Cord. 2010 Aug 10. [Epub ahead of print]

Chronic spinal cord injury pain: pharmacological and non-pharmacological treatments and treatment effectiveness.

<http://www.ncbi.nlm.nih.gov/pubmed/20695788>

Heutink M, Post MW, Wollaars MM, van Asbeck FW. Disabil Rehabil. 2010 Aug 9. [Epub ahead of print]

The AuSpinal: a test of hand function for people with tetraplegia.

<http://www.ncbi.nlm.nih.gov/pubmed/20680021>

Coates SK, Harvey LA, Dunlop SA, Allison GT. Spinal Cord. 2010 Aug 3. [Epub ahead of print]

Movement rehabilitation after spinal cord injuries: Emerging concepts and future directions.

<http://www.ncbi.nlm.nih.gov/pubmed/20673791>

Marsh BC, Astill SL, Utley A, Ichiyama RM. Brain Res Bull. 2010 Jul 27. [Epub ahead of print]

Stem cells in the treatment of chronic spinal cord injury: evaluation of somatosensitive-evoked potentials in 39 patients.

<http://www.ncbi.nlm.nih.gov/pubmed/20084074>

Stokic DS, Curt A. Spinal Cord. 2010 Aug;48(8):649.

A population-based study comparing traumatic spinal cord injury and non-traumatic spinal cord injury using a national rehabilitation database.

New PW, Simmonds F, Stevermuer T. Spinal Cord. 2010 Jul 6,

Differential development of sensory hypersensitivity and a measure of spinal cord hyperexcitability following whiplash injury.

Sterling M. Pain. 2010 Jun 29,

Effect of spinal cord injury and its lesion level on stretch reflex modulation by cold stimulation in humans.

Ogata H, Sayenko DG, Yamamoto E, Kitamura T, Yamamoto S, Miyoshi T, Kamibayashi K, Nakazawa K. Clin Neurophysiol. 2010 Jun 24,

Impaired transmission in the corticospinal tract and gait disability in spinal cord injured persons.

Barthélemy D, Willerslev-Olsen M, Lundell H, Conway BA, Knudsen H, Biering-Sorensen F, Nielsen JB. J Neurophysiol. 2010 Jun 16,

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

A systematic review of wheelchair skills tests for manual wheelchair users with a spinal cord injury: towards a standardized outcome measure.

Fliess-Douer O, Vanlandewijck YC, Manor GL, Van Der Woude LH.
Clin Rehabil. 2010 Jun 16,

Functional recovery in children and adolescents with spinal cord injury.

Choksi A, Townsend EL, Dumas HM, Haley SM.
Pediatr Phys Ther. 2010 Summer;22(2):214-21.

Electrical stimulation plus progressive resistance training for leg strength in spinal cord injury: a randomized controlled trial.

Harvey LA, Fornusek C, Bowden JL, Pontifex N, Glinsky J, Middleton JW, Gandevia SC, Davis GM. Spinal Cord. 2010 Jul;48(7):570-5. Epub 2010 Jan 12.

Prediction of severe neurogenic bowel dysfunction in persons with spinal cord injury.

Liu CW, Huang CC, Chen CH, Yang YH, Chen TW, Huang MH.
Spinal Cord. 2010 Jul;48(7):554-9. Epub 2010 Jan 12.

A systematic review of the therapeutic interventions for heterotopic ossification after spinal cord injury.

Teasell RW, Mehta S, Aubut JL, Ashe MC, Sequeira K, Macaluso S, Tu L; SCIRE Research Team. Spinal Cord. 2010 Jul;48(7):512-21. Epub 2010 Jan 5.

Outcome parameters in spinal cord injury research: a systematic review using the International Classification of Functioning, Disability and Health (ICF) as a reference.

Post MW, Kirchberger I, Scheuringer M, Wollaars MM, Geyh S.
Spinal Cord. 2010 Jul;48(7):522-8. Epub 2010 Jan 5.

Exhaled nitric oxide levels are elevated in persons with tetraplegia and comparable to that in mild asthmatics.

Radulovic M, Schilero GJ, Wecht JM, La Fontaine M, Rosado-Rivera D, Bauman WA. Lung. 2010 Jun;188(3):259-62. Epub 2009 Dec 15.

Bladder Management After Spinal Cord Injury in the United States 1972 to 2005.

Cameron AP, Wallner LP, Tate DG, Sarma AV, Rodriguez GM, Clemens JQ. J Urol. 2010 May 15. [Epub ahead of print]

Clinical prospects for transplantation of OECs in the repair of brachial and lumbo-sacral plexus injuries: Opening a door.

Raisman G, Carlstedt T, Choi D, Li Y. Exp Neurol. 2010 May 17. [Epub ahead of print]

Chronic Pain after Spinal Cord Injury: Results of a Long-Term Study.

Modirian E, Pirouzi P, Soroush M, Karbalaee-Esmaeili S, Shojaei H, Zamani H. Pain Med. 2010 May 19. [Epub ahead of print]

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Challenges, concerns and common problems: physiological consequences of spinal cord injury and microgravity.

Scott JM, Warburton DE, Williams D, Whelan S, Krassioukov A. Spinal Cord. 2010 May 25. [Epub ahead of print]

Recovery of motoneuron and locomotor function after spinal cord injury depends on constitutive activity in 5-HT(2C) receptors.

Murray KC, Nakae A, Stephens MJ, Rank M, D'Amico J, Harvey PJ, Li X, Harris RL, Ballou EW, Anelli R, Heckman CJ, Mashimo T, Vavrek R, Sanelli L, Gorassini MA, Bennett DJ, Fouad K. Nat Med. 2010 Jun;16(6):694-700. Epub 2010 May 30.

Occurrence and predictors of pressure ulcers during primary in-patient spinal cord injury rehabilitation.

Verschueren JH, Post MW, de Groot S, van der Woude LH, van Asbeck FW, Rol M. Spinal Cord. 2010 Jun 8. [Epub ahead of print]

Patient preferences for next generation neural prostheses to restore bladder function.

Sanders PM, Ijzerman MJ, Roach MJ, Gustafson KJ. Spinal Cord. 2010 Jun 8. [Epub ahead of print]

Slope analysis of somatosensory evoked potentials in spinal cord injury for detecting contusion injury and focal demyelination.

Agrawal G, Sherman D, Maybhat A, Gorelik M, Kerr DA, Thakor NV, All AH. J Clin Neurosci. 2010 Jun 8. [Epub ahead of print] b 2009 Nov 3.

Demographic characteristics after traumatic and non-traumatic spinal cord injury: a retrospective comparison study.

Cosar SN, Yemisci OU, Oztop P, Cetin N, Sarifakioglu B, Yalbuздag SA, Ustaomer K, Karatas M. Spinal Cord. 2010 May 4.

<http://www.ncbi.nlm.nih.gov/pubmed/20440301>

A systematic review of pharmacologic treatments of pain after spinal cord injury.

Teasell RW, Mehta S, Aubut JA, Foulon B, Wolfe DL, Hsieh JT, Townson AF, Short C; Spinal Cord Injury Rehabilitation Evidence Research Team. Arch Phys Med Rehabil. 2010 May;91(5):816-31.

<http://www.ncbi.nlm.nih.gov/pubmed/20434623>

A randomized, double-blinded, crossover pilot study assessing the effect of nabilone on spasticity in persons with spinal cord injury.

Pooyania S, Ethans K, Szturm T, Casey A, Perry D. Arch Phys Med Rehabil. 2010 May;91(5):703-7.

<http://www.ncbi.nlm.nih.gov/pubmed/20434606>

Positive effect of balance training with visual feedback on standing balance abilities in people with incomplete spinal cord injury.

Sayenko DG, Alekhina MI, Masani K, Vette AH, Obata H, Popovic MR, Nakazawa K. Spinal Cord. 2010 Apr 20.

<http://www.ncbi.nlm.nih.gov/pubmed/20404833>

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Ankle motor skill is intact in spinal cord injury, unlike stroke: implications for rehabilitation.

van Hedel HJ, Wirth B, Curt A. Neurology. 2010 Apr 20;74(16):1271-8.

<http://www.ncbi.nlm.nih.gov/pubmed/20404308>

SCIREhab: a model for rehabilitation research using comprehensive person, process and outcome data.

Whiteneck G, Gassaway J. Disabil Rehabil. 2010 Apr 14.

<http://www.ncbi.nlm.nih.gov/pubmed/20392171>

Spontaneous motor rhythms of the back and legs in a patient with a complete spinal cord transection.

Nadeau S, Jacquemin G, Fournier C, Lamarre Y, Rossignol S. Neurorehabil Neural Repair. 2010

May;24(4):377-83. Epub 2009 Dec 17.

<http://www.ncbi.nlm.nih.gov/pubmed/20019383>

A systematic review of the evidence supporting a role for vasopressor support in acute SCI. Ploumis A, Yadlapalli N, Fehlings MG, Kwon BK, Vaccaro AR. Spinal Cord. 2010 May;48(5):356-62. Epub 2009 Nov 24.

<http://www.ncbi.nlm.nih.gov/pubmed/19935758>

Outcome after incomplete spinal cord injury: central cord versus Brown-Sequard syndrome. Wirz M,

Zörner B, Rupp R, Dietz V. Spinal Cord. 2010 May;48(5):407-14. Epub 2009 Nov 10.

<http://www.ncbi.nlm.nih.gov/pubmed/19901956>

Using the Spinal Cord Independence Measure III to measure functional recovery in a post-acute spinal cord injury program.

Ackerman P, Morrison SA, McDowell S, Vazquez L. Spinal Cord. 2010 May;48(5):380-7. Epub 2009 Nov 3.

<http://www.ncbi.nlm.nih.gov/pubmed/19884897>

Assessment of disability in patients with acute traumatic spinal cord injury: A systematic review of the literature.

Furlan JC, Noonan V, Singh A, Fehlings M. J Neurotrauma. 2010 Mar 31. [Epub ahead of print]

<http://www.liebertonline.com/doi/abs/10.1089/neu.2009.1148>

Stepping with an ankle foot orthosis re-examined: A mechanical perspective for clinical decision making.

Nair PM, Rooney KL, Kautz SA, Behrman AL. Clin Biomech (Bristol, Avon). 2010 Mar 31. [Epub ahead of print]

[http://www.clinbiomech.com/article/S0268-0033\(10\)00064-1/abstract](http://www.clinbiomech.com/article/S0268-0033(10)00064-1/abstract)

Shoulder joint kinetics during wheelchair propulsion on a treadmill at two different speeds in spinal cord injury patients.

Gil-Agudo A, Del Ama-Espinosa A, Pérez-Rizo E, Pérez-Nombela S, Crespo-Ruiz B. Spinal Cord. 2010

Apr;48(4):290-6

<http://www.biomedsearch.com/nih/Shoulder-joint-kinetics-during-wheelchair/19773798.html>

ICF Core Sets for individuals with spinal cord injury in the early post-acute context.

Kirchberger I, Cieza A, Biering-Sørensen F, Baumberger M, Charlifue S, Post MW, Campbell R, Kovindha A, Ring H, Sinnott A, Kostanjsek N, Stucki G. Spinal Cord. 2010 Apr;48(4):297-304.

<http://www.nature.com/sc/journal/v48/n4/abs/sc2009128a.html>

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

ICF Core Sets for individuals with spinal cord injury in the long-term context.

Cieza A, Kirchberger I, Biering-Sørensen F, Baumberger M, Charlifue S, Post MW, Campbell R, Kovindha A, Ring H, Sinnott A, Kostanjsek N, Stucki G. Spinal Cord. 2010 Apr;48(4):305-12
<http://www.nature.com/sc/journal/v48/n4/abs/sc2009183a.html>

Task-specificity vs. ceiling effect: Step-training in shallow water after spinal cord injury.

Keurzi J, Brown EH, Shum-Siu A, Siu A, Burke D, Morehouse J, Smith RR, Magnuson DS. Exp Neurol. 2010 Mar 17. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/20302862>

Bone Marrow Stromal Cell Transplantation for Treatment of Sub-acute Spinal Cord Injury in the Rat.

Ide C, Nakai Y, Nakano N, Seo TB, Yamada Y, Endo K, Noda T, Saito F, Suzuki Y, Fukushima M, Nakatani T. Brain Res. 2010 Mar 19. [Epub ahead of print]
<http://www.ncbi.nlm.nih.gov/pubmed/20307513>

A Novel Classification System for Traumatic Central Cord Syndrome: The Central Cord Injury Scale (CCIS).

Hohl JB, Lee JY, Horton JA, Rihn JA. Spine (Phila Pa 1976). 2010 Mar 11. [Epub ahead of print]
http://journals.lww.com/spinejournal/Abstract/publishahead/A_Novel_Classification_System_for_Traumatic.99691.aspx

Novel and direct access to the human locomotor spinal circuitry.

Gerasimenko Y, Gorodnichev R, Machueva E, Pivovarova E, Semyenov D, Savochin A, Roy RR, Edgerton VR. J Neurosci. 2010 Mar 10;30(10):3700-8.
<http://www.jneurosci.org/cgi/content/abstract/30/10/3700>

Assessment of postural muscle strength in sitting: reliability of measures obtained with hand-held dynamometry in individuals with spinal cord injury.

Larson CA, Tezak WD, Malley MS, Thornton W. J Neurol Phys Ther. 2010 Mar;34(1):24-31.
http://journals.lww.com/jnpt/Abstract/2010/03000/Assessment_of_Postural_Muscle_Strength_in_Sitting_.6.aspx

Down-regulation of the potassium-chloride cotransporter KCC2 contributes to spasticity after spinal cord injury.

Boulenguez P, Liabeuf S, Bos R, Bras H, Jean-Xavier C, Brocard C, Stil A, Darbon P, Cattaert D, Delpire E, Marsala M, Vinay L. Nat Med. 2010 Mar;16(3):302-7. Epub 2010 Feb 28.
<http://www.nature.com/nm/journal/v16/n3/abs/nm.2107.html>

Immediate effect of transcutaneous electrical nerve stimulation on spasticity in patients with spinal cord injury.

Ping Ho Chung B, Kam Kwan Cheng B. Clin Rehabil. 2010 Mar;24(3):202-10. Epub 2010 Feb 15.
<http://cre.sagepub.com/cgi/content/abstract/24/3/202>

Spinal Cord Injury

Section Editor: Keith Tansey, MD, PhD, Shepherd Center/Emory University/Atlanta VA

Modified Ashworth scale reliability for measurement of lower extremity spasticity among patients with SCI.

Craven BC, Morris AR. Spinal Cord. 2010 Mar;48(3):207-13. Epub 2009 Sep 29
<http://www.nature.com/sc/journal/v48/n3/abs/sc2009107a.html>

Reliability and validity of the International Spinal Cord Injury Basic Pain Data Set items as self-report measures.

Jensen MP, Widerström-Noga E, Richards JS, Finnerup NB, Biering-Sørensen F, Cardenas DD. Spinal Cord. 2010 Mar;48(3):230-8. Epub 2009 Sep 29.
<http://www.nature.com/sc/journal/v48/n3/full/sc2009112a.html>

Standing balance assessment in ASIA D paraplegic and tetraplegic participants: concurrent validity of the Berg Balance Scale.

Lemay JF, Nadeau S. Spinal Cord. 2010 Mar;48(3):245-50. Epub 2009 Sep 22.
<http://www.nature.com/sc/journal/v48/n3/full/sc2009119a.html>

Clinical Outcomes Using Modest Intravascular Hypothermia After Acute Cervical Spinal Cord Injury.

Levi AD, Casella G, Green BA, Dietrich WD, Vanni S, Jagid J, Wang MY. Neurosurgery. 2010 Feb 23. [Epub ahead of print]
http://journals.lww.com/neurosurgery/Abstract/2010/04000/Clinical_Outcomes_Using_Modest_Intravascular.18.aspx

Afferent regulation of leg motor cortex excitability after incomplete spinal cord injury.

Roy FD, Yang JF, Gorassini MA. J Neurophysiol. 2010 Feb 24. [Epub ahead of print]
<http://jn.physiology.org/cgi/content/abstract/00903.2009v1>

Behavior of spinal neurons deprived of supraspinal input.

Dietz V. Nat Rev Neurol. 2010 Mar;6(3):167-74. Epub 2010 Jan 26.
<http://www.nature.com/nrneuro/journal/v6/n3/abs/nrneuro.2009.227.html>

Plantar cutaneous afferents normalize the reflex modulation patterns during stepping in chronic human spinal cord injury.

Knikou M. J Neurophysiol. 2010 Mar;103(3):1304-14. Epub 2009 Dec 30.
<http://jn.physiology.org/cgi/content/abstract/00880.2009v1>